# CITY OF NORMANGEE

# PO BOX 37 NORMANGEE, TEXAS 77871

(936) 396-3691

(936) 396-5100 FAX

City of Normangee City Council

Regular Meeting Agenda Thursday, July 20, 2017 107 Main Street, Normangee Texas

6:30 PM

## I. CALL TO ORDER AND ROLL CALL

Mayor and City Council Members

Mayor Gary Dawkins Council Member Troy Noey Council Member William Wagner Council Member Timothy Hemphill Council Member Dennis Noey Council Member Melanie Lee

<u>City Staff/Appointed Officials</u> City Secretary Sunny Reichert

#### II. PLEDGE OF ALLEGIANCE

- A. Pledge of Allegiance
- B. Prayer

# III. PRESENTATIONS BY CITIZENS

Introduction of all present. Floor open to discussion on any subject. No action may be taken by law. Citizens wishing to speak shall do so after being recognized by the Mayor. The Mayor and City Council may establish a time limit as necessary.

## IV. BUSINESS

#### Consideration, Discussion and Possible Decision on:

- A. Approve Previous City Council Meeting Minutes.
- B. Open, Review, Discuss and Possibly Select/Accept Sealed Bids for Beaver Tunnel Repair, Site 1, Upper Caney Creek of the Caney Creek Watershed.
- C. Water/Sewer Business:
  - 1. Update on Dylan Ross/Welton Brown Property Located on Batson Loop and the Determination of it Being Within the City Limits.
  - 2. Accepting Bids for Hiring a Contractor to Assist with Installation of Water and/or Sewer Taps at Two Locations: 2<sup>nd</sup> and Wooley for Richard Carter; Batson Loop for Welton (Lee) Brown.
  - 3. Removing Full Coverage Insurance and Keeping Only Liability on W/S 2002 Ford F-350 Truck.
  - 4. Keeping or Selling the Water/Sewer 2002 Ford F-350 Truck.
  - 5. Charging W/S Customers for Sewer When They Fill Up a Swimming Pool.
  - 6. Possibility of Removing the Sewer for Two Homes on Third Street From Flowing Through the Normangee Apartments Lift Station.
  - 7. Updates on Septic Disconnection/Sewer Connection for Arellano Home on 5<sup>th</sup> Street; Possibility of Lift Station Being Required.

#### D. Police Business:

- 1. Police Department Update on Audit and Review of TCOLE Standards.
- 2. Repairs Needed for Police Radio, Radar, and Electrical in the Caprice.
- 3. Removing Full Coverage Insurance and Keeping Only Liability on PD Crown Victoria.
- Keeping or Selling the PD Crown Victoria.
- E. Remove Old Cable Wires From the Electric Poles Throughout Town.

#### V. ANNOUNCEMENTS

A. NEXT REGULAR MEETING

#### VI. EXECUTIVE SESSION

The City Council for the City of Normangee has the right to adjourn into executive session at any time during the course of this meeting to discuss any matter as authorized by Government Code Sections 551.071 (Consultation with Attorney), 551.072 (Deliberations about Real Property), 551.073 (Deliberations about Gifts and Donations), 551.074 (Personnel Matters), 551.076 (Deliberations about Security Devices), and 551.086 (Economic Development).

#### VII. ADJOURN

Notice is posted in accordance with Chapter 551, Government Code, Vernon's Texas Codes, Annotated. I certify that the above notice of meeting was posted on the bulletin board at Normangee City Hall and the front glass door of Normangee City Hall on the

17th day of July, 2017 at 3:00 PM.

Approved and Posted by Gary Dawkins, Mayor

All Agenda items listed above are eligible for discussion and actions unless otherwise specifically noted. This facility is wheelchair accessible.

Accessible parking spaces are available.

Requests for auxiliary aids and services must be made 48 hours prior to this meeting by calling (936) 396-3691.

**NOTICE:** Pursuant to Section 30.06, Penal Code (trespass by license holder with a concealed handgun), a person licensed under Subchapter H, Chapter 411, Government Code (handgun licensing law), may not enter this property with a concealed handgun.

**NOTICE:** Pursuant to Section 30.07, Penal Code (trespass by license holder with an openly carried handgun), a person licensed under Subchapter H, Chapter 411, Government Code (handgun licensing law), may not enter this property with a handgun that is carried openly.